Safety Data Sheet



Howard Johnson's Enterprises

Section 1: Identification

Product identifier

 Howard Johnson's Crabgrass Control Plus with 0.20% Barricade, Howard Johnson's Crabgrass Control Plus with 0.37% Barricade, Howard Johnson's Crabgrass Control Plus with 0.29% Barricade, The Ultimate Crabgrass Preventer Lawn Fertilizer with 0.37% Barricade, Turfgro Crabgrass Control Plus with .37% Barricade, Ward's 22-3-8 Crabgrass Control Plus with 0.58% Barricade

Product Name

Synonyms

Product Code

EPA Reg. No.: 32802-65; EPA Reg. No.: 32802-66; EPA Reg. No.: 32802-67; EPA Reg. No.: 32802-70; FertSSCa; Lawn fertilizer with herbicide

Product Description
 Variable colored granules.

FertSSCa

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Fertilizer with weed control for lawns.

Restrictions on use

Avoid contact with eyes, skin or clothing. Keep out of the reach of children and domestic animals. Avoid breathing dust.

Details of the supplier of the safety data sheet

Manufacturer

· Howard Johnson's Enterprises, Inc.

9675 S. 60th Street Franklin, WI 53132 United States www.hjefertilizer.com

Telephone (General) • (414) 394-3590 - 8:30am - 5:00pm CST

Emergency telephone number

Manufacturer • 1-800-424-9300 - CHEMTREC - Transportation and Non-Transportation related

emergencies

Manufacturer • 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

Preparation Date: 08/March/2016 Revision Date: 08/March/2016

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

 Carcinogenicity 1A Skin Sensitization 1

Label elements

OSHA HCS 2012

DANGER





Hazard statements • May cause cancer.

May cause an allergic skin reaction

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.

Contaminated work clothing should not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response •

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

Storage/Disposal •

Store locked up.

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Other hazards

OSHA HCS 2012

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

Composition		
Chemical Name	Identifiers	%
Barricade	CAS:29091-21-2	0.2% TO 0.58%
Limestone	CAS:1317-65-3	> 10%
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%
Other ingredients	NDA	> 89%

Preparation Date: 08/March/2016 Format: GHS Language: English (US) OSHA HCS 2012 Revision Date: 08/March/2016 Page 2 of 9

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

· IF SWALLOWED: Rinse mouth.

Most important symptoms and effects, both acute and delayed

An allergic skin reaction may occur in individuals with a sensitivity to Barricade. May cause cancer. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

· Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • LARGE FIRE: Water spray, fog or regular foam.

SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing

Media

High pressure spray.

Firefighting Procedures

As an immediate precautionary measure, isolate spill or leak area for at least 50

meters (150 feet) in all directions. Do not walk through spilled material. Keep unauthorized personnel away. Ventilate closed spaces before entering.

Do not allow fire fighting water to escape into waterways or sewers.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

None known.

Hazardous Combustion Products

 Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not walk through spilled material. Avoid dust formation and breathing dust.

Emergency Procedures

Keep unauthorized personnel away. Stay upwind.

Environmental precautions

Do not allow runoff into water, storm drains or drainage ditches.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

 Sweep up material and place in suitable container for disposal. Cover with plastic sheet to prevent spreading. Do not flush to sewer or allow to enter waterways.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Storage

 Keep container/package tightly closed in a cool, well-ventilated place. Avoid humid or wet conditions. Store locked up.

Section 8 - Exposure Controls/Personal Protection

Control parameters

	Exposure Limits/Guidelines				
	Result ACGIH NIOSH OSHA				
Silica, crystalline - quartz (14808-60-7)	IIIVVAS	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	See below	
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	

Exposure Control Notations

ACGIH

Exposure Limits Supplemental OSHA

•Silica, crystalline - quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

ACGIH

•Silica, crystalline - quartz (14808-60-7): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls

Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. If airborne dust is present, use appropriate respiratory protection.

Personal Protective Equipment

Preparation Date: 08/March/2016 Format: GHS Language: English (US) OSHA HCS 2012 Revision Date: 08/March/2016

[•] Silica, crystalline - quartz (14808-60-7): Carcinogens: (A2 - Suspected Human Carcinogen)

Pictograms



Respiratory

If prolonged exposure is anticipated, it is recommended for handlers to wear an

approved MSHA/NIOSH dust mask N-95. Not required with normal use.

Eye/FaceWear safety glasses.Wear appropriate gloves.

• Use full body suit such as Tyvek or Tychem suit is recommended.

Environmental Exposure

Controls

Avoid contaminating waterways and sewers. Refer to Section 13 - Disposal

Considerations.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description				
Physical Form	Solid	Appearance/Description	Variable colored granules.	
Color	Multi-colored	Odor	No data available.	
Particulate Type	No data available	Odor Threshold	No data available	
General Properties				
Boiling Point	No data available	Melting Point/Freezing Point	No data available	
Decomposition Temperature	No data available	рН	Not relevant	
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft ³	
Water Solubility	No data available	Viscosity	Not relevant	
Volatility				
Vapor Pressure	No data available	Vapor Density	No data available	
Evaporation Rate	No data available	VOC (Wt.)	No data available	
Flammability				
Flash Point	No data available	UEL	No data available	
LEL	No data available	Autoignition	No data available	
Flammability (solid, gas)	No data available			
Environmental				
Octanol/Water Partition coefficient	No data available			

Section 10: Stability and Reactivity

Reactivity

· No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

· Moisture and humid conditions.

Incompatible materials

Preparation Date: 08/March/2016

Revision Date: 08/March/2016

Page 5 of 9

Format: GHS Language: English (US)

OSHA HCS 2012

Strong oxidizers.

Hazardous decomposition products

Decomposes on heating above melting point producing toxic gases.

Section 11 - Toxicological Information

Information on toxicological effects

Components		
Barricade (0.2% TO	29091-21-	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Inhalation-Rat LC50 • 1.81 mg/L 4 Hour(s); Skin-
0.58%)	2	Rat LD50 • >2000 mg/kg

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met

Potential Health Effects Inhalation

Acute (Immediate)

May cause irritation. Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss.

Chronic (Delayed)

Repeated and prolonged exposure may cause lung damage - silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

 May cause an allergic skin reaction in individuals with a sensitivity to Barricade. May cause mild irritation.

Chronic (Delayed)

· No data available.

Eye

Acute (Immediate)

May cause mild irritation.

Chronic (Delayed)

No data available

Ingestion

Preparation Date: 08/March/2016 Revision Date: 08/March/2016 OSHA HCS 2012 Page 6 of 9

Acute (Immediate)

Chronic (Delayed)

Mutagenic Effects

Carcinogenic Effects

Under normal conditions of use, no health effects are expected.

No data available

No data available.

Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects			
	CAS IARC NTP		
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

Reproductive Effects

 Barricade: Fetal toxicity at high dose levels (rats); development and maternal toxicity observed at 1 g/kg/day.

Section 12 - Ecological Information

Toxicity

Components		
Barricade (0.2% TO 0.58%)	29091-21-2	Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow Trout 0.83 mg/L 96 Hour(s) LC50 Bluegill Sunfish 0.55 mg/L Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Water Flea Daphnia magna 0.66 mg/L

Persistence and degradability

· Barricade: Persistent in soil.

Bioaccumulative potential

Barricade: Does not bioaccumulate.

Mobility in Soil

• Barricade: Stable in water. Immobile in soil. Sinks in water (after 24 hours).

Other adverse effects

No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. See product label for disposal instructions.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user • None specified.

Preparation Date: 08/March/2016 Format: GHS Language: English (US) Revision Date: 08/March/2016 OSHA HCS 2012 Page 7 of 9

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Other information

No data available

IMO/IMDG • No data available IATA/ICAO · No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Acute, Chronic

FIFRA – Pesticide Labeling

This material is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF THE REACH OF CHILDREN.

Hazards to Humans and . **Domestic Animals**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoidcontact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and waterafter handling: Prolonged or repeated skin contact with product may cause allergic reactions insome individuals.

First Aid •

If in eyes. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. If on skin or clothing • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. If swallowed • Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center of physician. Do not give anything by mouth to an unconscious person. If inhaled • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Environmental Hazards •

This product has a low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Inventory		
Component	CAS	TSCA
Limestone	1317-65-3	Yes
Barricade	29091-21-2	Yes

Preparation Date: 08/March/2016 Revision Date: 08/March/2016

Silica, crystalline - quartz Yes

Section 16 - Other Information

Revision Date Last Revision Date Preparation Date • 08/March/2016

• 08/March/2016

• 08/March/2016

Disclaimer/Statement of Liability

•

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.