



Howard Johnson's Enterprises

Section 1: Identification

Product identifier

Product Name · Howard Johnson's Cuatro with Dimension Plus Quinclorac

Synonyms • EPA Reg. No.: 2217-927-32802; FertCaRspSS

Product Code • FertCaRspSS

Product Description
 Variable colored granules.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Fertilizer plus herbicide for lawns.

Restrictions on use

Keep out of reach of children and domestic animals. Avoid breathing dust. Avoid

contact with eyes, skin and clothing.

Details of the supplier of the safety data sheet

Manufacturer
 Howard Johnson's Enterprises, Inc.

9675 S. 60th Street Franklin, WI 53132 United States www.hjefertilizer.com

Telephone (General) • (414) 394-3590 - 8:30am - 5:00pm CST

Emergency telephone number

Manufacturer • 1-800-424-9300 - CHEMTREC - Transportation and Non-Transportation related

emergencies

Manufacturer • 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

• Carcinogenicity 1A
Skin Sensitization 1

Respiratory Sensitization 1A

Label elements **OSHA HCS 2012**

DANGER





Hazard statements • May cause cancer.

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.

In case of inadequate ventilation wear respiratory protection.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Response • IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison control center or doctor.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Storage/Disposal •

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Store locked up.

Other hazards **OSHA HCS 2012**

This pesticide may be toxic to fish and aquatic invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Mixtures

Composition			
Chemical Name Identifiers %			
2,4-dichlorophenoxy acetic acid	CAS:94-75-7	0.675%	
Dicamba (3,6-dichloro-o-benzoic acid)	CAS:1918-00-9	0.06%	
Dithiopyr	CAS:97886-45-8	0.121%	
8-Quinolinecarboxylic acid, 3,7-dichloro-	CAS:84087-01-4	0.346%	

Limestone	CAS: 1317-65-3	35% TO 50%
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%
Peanut hulls	NDA	< 5%
Other ingredients	NDA	Balance

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

•

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.

Skin

IF ON SKIN: Wash skin with soap and water. If irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CONTROL center or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed by medical personnel.

Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls. May cause an allergic skin reaction in individuals with a sensitivity to 2,4 -dichlorophenoxy acetic acid, may cause cancer. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

· Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media

· Avoid heavy hose streams.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

· None known.

Hazardous Combustion Products

 Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

•

Avoid contact with skin, eyes, and clothing. Wear appropriate personal protective equipment, avoid direct contact. Ventilate enclosed areas. Avoid dust formation and breathing dust.

Emergency Procedures

•

No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

Environmental precautions

· Avoid runoff to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

•

Sweep or scoop up spills, dispose of any unusable material in approved landfill. Use appropriate Personal Protective Equipment (PPE).

Section 7 - Handling and Storage

Precautions for safe handling

Handling

•

Avoid contact with skin, eyes, and clothing. Avoid breathing dust. To minimize dust generation and accumulation, spills should be cleaned up and dust accumulations should be removed promptly. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities

Storage

.

Store in a cool/low-temperature, well-ventilated, dry place. Keep out of reach of children. Keep container tightly closed. Avoid humid, wet or moist conditions. Keep away from incompatible materials such as strong acids. Ventilate enclosed areas. Store locked up.

Incompatible Materials or Ignition Sources

•

May be corrosive to mild steel. Slightly corrosive to aluminum, zinc, or copper. Non-corrosive to glass, 304 or 316 stainless steel. May be reactive with halogens and slightly reactive with oxidizing agents, reducing agents, acids, alkalis, moisture.

Section 8 - Exposure Controls/Personal Protection

Control parameters

	Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA	
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable particulate matter)	0.05 mg/m3 TWA (respirable dust)	0.05 mg/m3 TWA (respirable dust)	
2,4- dichlorophenoxy acetic acid (94-75-7)	TWAs 10 mg/m3 TWA (inhalable particulate matter)		10 mg/m3 TWA	10 mg/m3 TWA	

Limestone	T\\/A	Not established	10 mg/m3 TWA (total dust); 5 mg/m3	15 mg/m3 TWA (total dust); 5 mg/m3	
(1317-65-3)	IVVAS	Not established	TWA (respirable dust)	TWA (respirable fraction)	

Exposure Control Notations

ACGIH

- •2,4-dichlorophenoxy acetic acid (94-75-7): Carcinogens: (A4 Not Classifiable as a Human Carcinogen) | Skin: (Skin potential significant contribution to overall exposure by the cutaneous route)
- •Silica, crystalline quartz (14808-60-7): Carcinogens: (A2 Suspected Human Carcinogen)

Exposure Limits Supplemental OSHA

•Silica, crystalline - quartz (14808-60-7): Mineral Dusts: ((250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

ACGIH

- •2,4-dichlorophenoxy acetic acid (94-75-7): TLV Basis Critical Effects: (kidney tubular damage; thyroid effects)
- •Silica, crystalline quartz (14808-60-7): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering

Measures/Controls

Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms







Respiratory

If airborne dust is present or in case of inadequate ventilation, use appropriate respiratory protection. Use of half/full face air purifying or N95 dust mask is recommended.

Eye/Face

Wear safety glasses.

Hands

Wear appropriate gloves.

Skin/Body

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. Use full body suit such as Tyvek or

Tychem suit is recommended.

General Industrial Hygiene

Considerations

Environmental Exposure Controls

Handle in accordance with good industrial hygiene and safety practice.

· Avoid release to the environment.

Other Information

See product label for specific use PPE instructions.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Variable colored granules.
Color	Varies	Odor	Varies
Odor Threshold	No data available		
General Properties			

Boiling Point	No data available	Melting Point/Freezing Point	No data available	
Decomposition Temperature	No data available	рН	Not relevant	
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft³	
Water Solubility	No data available	Viscosity	Not relevant	
Volatility				
Vapor Pressure	No data available	Vapor Density	No data available	
Evaporation Rate	No data available			
Flammability				
Flash Point	Not relevant	UEL	No data available	
LEL	No data available	Autoignition	No data available	
Flammability (solid, gas)	No data available			
Environmental				
Octanol/Water Partition coefficient	No data available			

Section 10: Stability and Reactivity

Reactivity

· Non-reactive under normal handling and storage conditions.

Chemical stability

Stable

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

Extreme heat, high humidity or moisture. Avoid contact with moisture. If Urea is present, slow hydrolysis may produce acids corrosive to metals.

Incompatible materials

Material may be incompatible with halogens, oxidizing agents, reducing agents, acids, alkalis, moisture, potassium chlorate, potassium nitrate, sodium nitrate, sodium hypochlorite, metal chlorates, strong bases. If Urea is present may be corrosive to mild steel and slightly corrosive to aluminum, zinc, or copper.

Hazardous decomposition products

May release ammonia, oxides of sulfur, oxides of nitrogen, and oxides of carbon. Flammable/toxic gases will form at elevated temperatures by thermal decomposition.

Section 11 - Toxicological Information

Information on toxicological effects

Components				
2,4-dichlorophenoxy acetic acid (0.675%)	94-75-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 375-420 mg/kg; Skin-Rat LD50 • 1500 mg/kg		

GHS Properties	Classification

Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met	
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met	
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1	
Respiratory sensitization OSHA HCS 2012 • Respiratory Sensitizer 1A		
osha HCS 2012 • Classification criteria not met		
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
STOT-SE	OSHA HCS 2012 • Classification criteria not met	
STOT-RE	OSHA HCS 2012 • Classification criteria not met	

Potential Health Effects Inhalation

Acute (Immediate)

Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss. May cause allergy or asthma symptoms or breathing difficulties if inhaled due to peanut hulls.

Chronic (Delayed)

Repeated or prolonged inhalation of dust may cause respiratory irritation. Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

May cause an allergic skin reaction in those with a sensitivity to 2,4-dichlorophenoxy acetic acid. Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

No data available.

Eye

Acute (Immediate)

Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

No data available

Ingestion

Acute (Immediate)

Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

No data available

Other

Chronic (Delayed)

• No data available.

Mutagenic Effects

• Not classified.

Carcinogenic Effects

Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects				
	CAS IARC NTP			
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen	

Reproductive Effects

· Not classified.

Section 12 - Ecological Information

Toxicity

· No data available

Persistence and degradability

· No data available

Bioaccumulative potential

· No data available

Mobility in Soil

· No data available

Other adverse effects

Potential Environmental Effects

This pesticide may be toxic to fish and aquatic invertebrates.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	RQ = 2,4-dichlorophenoxy acetic acid 100 lbs.
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Other information

· No data available

DOT • Environmental hazards: RQ (2,4-dichlorophenoxy acetic acid 100 lbs.)

IMO/IMDG · No data available IATA/ICAO · No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic, SARA Title III Section 313

FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and . **Domestic Animals**

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

First Aid •

IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Environmental Hazards •

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

	Inventory			
Component	CAS	TSCA		
2,4-dichlorophenoxy acetic acid	94-75-7	Yes		
8- Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	No		
Dicamba (3,6- dichloro-o-benzoic acid)	1918-00-9	No		
Dithiopyr	97886-45-8	No		
Limestone	1317-65-3	Yes		
Silica, crystalline - quartz	14808-60-7	Yes		

United States

Environment U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
• Dithiopyr	97886-45-8	Not Listed
2,4-dichlorophenoxy acetic acid	94-75-7	
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
• Dithiopyr	97886-45-8	Not Listed
		100 lb final RQ (listed under
2,4-dichlorophenoxy acetic acid	94-75-7	2,4-D, salts and esters); 45.4 kg final RQ (listed under 2,4-D, salts and esters)
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	1000 lb final RQ; 454 kg final RQ
U.S CERCLA/SARA - Section 313 - Emission Reporting		
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
Dithiopyr	97886-45-8	Not Listed
2,4-dichlorophenoxy acetic acid	94-75-7	0.1 % de minimis concentration
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	1.0 % de minimis concentration
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix	x VII	
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
• Dithiopyr	97886-45-8	Not Listed
2,4-dichlorophenoxy acetic acid	94-75-7	Included in waste stream: F039
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - D Series Wastes - Max Con	ıc of Contaminaı	nts for the Tox Characteristic
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
• Dithiopyr	97886-45-8	Not Listed
2,4-dichlorophenoxy acetic acid	94-75-7	10.0 mg/L regulatory level
Dicamba (3,6-dichloro-o-benzoic acid)	1918-00-9	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - A		
• Limestone	1317-65-3	Not Listed
8-Quinolinecarboxylic acid, 3,7-dichloro-	84087-01-4	Not Listed
Silica, crystalline - quartz	14808-60-7	Not Listed
• Dithiopyr	97886-45-8	Not Listed
2,4-dichlorophenoxy acetic acid	94-75-7	waste number U240

• Dicamba (3,6-dichloro-o-benzoic acid)

1918-00-9

Not Listed

Section 16 - Other Information

Revision Date

Last Revision Date

Preparation Date

Disclaimer/Statement of
Liability

- 02/December/2016
- 02/December/2016
- 02/December/2016
- .

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.